INFORMATION PACKET



- Questions to ask before getting the COVid Shot 1.
- 2. **Facts about the COVid Vaccine**
- 3. **Signs of Coercion**
- 4. Possible COVid Vax Side Effects
- **Patient Bill of Rights** 5.
- **Employee Exemption Rights** 6.
- 7. **Explanation of Spike Proteins**
- 10 Things You Should Know 8.
- 9. **COVid treatment and prevention**
- 10. School Exemption Request Form for all Vaccines
- 11. No Consent for Minor to be Vaccinated Form
- **12**. **History of Vaccines**
- **13**. Vaccine Passport Bill
- 14. **WHO - Implied Consent**
- **15**. Doctors that say it isn't safe
- **Frequency of Reported Adverse Reactions 16**.
- **17**. **Breakthrough Cases**

People Against Coerced Shots was organized by a group of women To research the risks of the COVid-19 vaccines, To protect people from irreversible damage and possible death from experimental injections. To educate the public on their medical rights, educate them on how to stay healthy and safe from the COVid virus and To save lives!

Visit peopleagainstcoercedshots.com for more information.

PEOPLE AGAINST COERCED SHOTS

SIGNS OF COERCION:

You have different rights if you get vaccinated like not having to wear a mask
You may lose your job if you don't
You can only go back to normal if you get it
You may enter into a lottery if you get it
You can't travel on a cruise ship or an airplane unless you get it
Your boss or school are bullying you
The Texas National Guard is giving people the shot in shops and restaurants in
Downtown Dallas
You can get a free joint, or free popsicle

https://peopleagainstcoercedshots.com

Clouthub group: Vaccine Choice Facebook group: PACS

PeopleAgainstCoercedShots@yahoo.com



Possible COVid Vax Side Effects:

Pain
Redness
Swelling on the arm
Body chills
Tiredness
Headache
Muscle pain
Fever
Nausea
Hives
Swelling
Wheezing
Blood Clots

Severe allergic reactions such as anaphylaxis Miscarriages in pregnant women Heart Attacks

eart Attacks Death

Bell's Palsy

Guillain-Barre Syndrome Multi System Inflammatory Syndrome Myocarditis (heart inflammation)

Pericarditis (inflammation around heart and chest pain)

Thrombocytopenia (low platelets)
The Pfizer COVid vaccine also causes
Neurodegenerative diseases such as ALS,
Alzheimer's, and
Dementia

ם אלכ

Questions to ask before getting the Covid Shot:

- ✓ Which shot am I getting?
- ✓ What are the most common side effects?
- ✓ What should I do if I experience side effects from this shot?
- How many deaths have been reported to the national vaccine adverse reaction database (VAERS)? How does that compare to deaths from other vaccines?
- ✓ If you're getting Pfizer or Moderna ask: What is an mRNA vaccine?
- ✓ If you're getting the Johnson and Johnson ask: What is a DNA vaccine?
- Has this been fully FDA approved or is it an Emergency Use Authorization?
- ✓ Am I signing up to be part of a medical trial?
- ✓ Does my health insurance cover side effects from this vaccine?
- ✓ Does my life insurance cover deaths from vaccines under Emergency Use Authorization?
- ✓ Make sure to get the insert that comes with the vaccine. (Hint, if the insert is blank that isn't normal.)

Go to **doctorsdontfearcovid.com** to find a doctor if you experience side effects and to learn about alternatives to getting the shot.



Facts:

- If you had COVid you already have antibodies against COVid. You do not need a shot. Your immunity is life long. Vaccines last a limited time and will need a booster shot.
- COVid Vaccine trials on pregnant women in the first trimester resulted in the rate of miscarriages going from 10% to 80%. Vaccine companies were told to put warning labels on the packaging stating it may be harmful to pregnant women and unborn babies.
- It is recommended that you do not have sex for at least 14 days after getting the vaccine. No long-term studies have been done on reproduction after getting an mRNA vaccine. Animal studies showed at 16% decrease in fertility.
- > Your body will create spike proteins, which your immune system will fight. **Spike proteins target tissues** such as the heart, lung, liver, brain, sperm & ovaries.
- > Initial COVid vaccine trials didn't include anyone under the age of 18. Pediatric trials are usually long and rigorous, but they were skipped.
- > All COVid shots are currently approved under an Emergency Use Authorization and are still in the trial phase. A complete research trial takes 2-3 years.
- > Vaccine Companies are free from liability. If you are injured or die from their product you will have to cover all costs.
- > There have been **more deaths in VAERS** (the CDC/FDA vaccine adverse event reporting system) from COVid shots than **all other vaccines combined**.
- Vaccine companies skipped animal trials for the COVid-19 shot. In the prior coronavirus vaccine trials most of the animals died after exposure to coronavirus in nature.
- > Employees can be exempt from vaccine policies under the ADA law and Title VII. Contact the Equal Employment Opportunity Commission regarding employer discrimination at EEOC.gov.

Patient Education

Clinical Center NATIONAL INSTITUTES OF HEALTH

Clinical Center Patients' Bill of Rights

The Clinical Center Patients' Bill of Rights protects you when you volunteer to participate in clinical research as a patient or as a healthy subject. We believe that concern for every research volunteer is linked closely to the successful conduct of clinical research. The Clinical Center provides hospital facilities and professional care; you, the research participant, make it possible for us to observe health and disease and to measure response to treatment.

Your rights and safety are protected by procedures that provide an awareness of your medical choices, of any risks or benefits, and of possible consequences of participating in research. The list summarizes your rights as a research participant at the Clinical Center.

You have the right:

- To safe, considerate and respectful care, provided in a manner consistent with your beliefs;
- ➤ To expect that all communications and records pertaining to your care will be treated as confidential to the extent permitted by law:
- To know the physician responsible for coordinating your care at the Clinical Center;
- ➤ To receive complete information about diagnosis, treatment, and prognosis from the physician, in terms that are easily understood. If it is medically inadvisable to give such information to you, it will be given to a legally authorized representative;

- ➤ To receive information necessary for you to give informed consent prior to procedure or treatment, including a description of the procedure or treatment, any potential risks or benefits, the probable duration of any incapacitation, and any alternatives. Exceptions will be made in the case of an emergency;
- ➤ To receive routine services when hospitalized at the Clinical Center in connection with your protocol. Complicating chronic conditions will be noted, reported to you, and treated as necessary without the assumption of long-term responsibility for their management:
- ➤ To know in advance what appointment times and physicians are available and where to go for continuity of care provided by the Clinical Center;
- To receive appropriate assessment of and treatment for pain;
- ➤ To refuse to participate in research, to refuse treatment to the extent permitted by law, and to be informed of the medical consequences of these actions, including possible dismissal from the study and discharge from the Clinical Center. If discharge would jeopardize your health, you have the right to remain under Clinical Center care until discharge or transfer is medically advisable;
- ▶ To be transferred to another facility when your participation in the Clinical Center study is terminated;

- To expect that a medical summary from the Clinical Center will be sent to your referring physician;
- To designate additional physicians or organizations at any time to receive medical updates.

If you have questions about your rights, you may contact the Clinical Center patient representative at 301-496-2626.

Texas Department of State Health Services at 1-888-963-7111 (toll free number) PO Box 149347, MC-1913 Austin, Texas 78714-9347

Email:

customer.service@dshs.state.tx.us E-mail:

patientsafetyreport@jointcommission.org

Telephone: (800) 994-6610

Weekdays: 8:30a.m. to 5 p.m., Central

Time

Fax: (630) 792-5636

U.S. Mail:

Office of Quality Monitoring The Joint Commission One Renaissance Boulevard Oakbrook Terrace, IL 60181

This information is prepared specifically for persons taking part in clinical research at the National Institutes of Health Clinical Center and may not apply to patients elsewhere. If you have questions about the information presented here, talk to a member of your health care team.

Products/resources named serve as examples and do not imply endorsement by NIH. The fact that a certain product/resource is not named does not imply that such product/resource is unsatisfactory.

National Institutes of Health Clinical Center

Bethesda, MD 20892

Questions about the Clinical Center? http://www.cc.nih.gov/comments.shtml 10/2009



Covid Injection Exemptions

Exemptions for Texas school-age children for currently required shots:

https://www.texansforvaccinechoice.com/

Medical Exemptions:

The medical exemption is one you get from your doctor because you have an allergy to an ingredient in the vaccines or you have a history of reacting to vaccines. This exemption is supported by the Americans with Disabilities Act (ADA).

Religious Exemptions:

Everyone can claim a sincerely held religious belief for why one can't get any of these injections. You do not need to belong to a church or get a pastor signature. The following links will help you write your letter. This exemption is supported by Title VII of the Civil Rights Act of 1964.

https://lc.org/ Click on "Legal Help"

https://www.thehealthyamerican.org/ Go to "Free Documents." Download "Religious Exemption Fact Sheet."

https://forunitedsolutions.org/ Click on "Religious Exemptions."

Military Exemptions:

Religious exemptions are handled on a case by case basis. Please read the following to understand the process and your rights:

http://www.centerformedicalfreedom.com./ Click on "Armed Forces Covid-19...2021"

Suing an Employer: Go to https://americasfrontlinedoctors.org/ and click on "Legal." Then click on "Vaccines and the Law."

Suing a College or School: Go to https://childrenshealthdefense.org/legal/legal-resources/ to access sample letters to submit to your school.



PeopleAgainstCoercedShots.com Facebook group: PACS Clouthub group: Vaccine Choice peopleagainstcoercedshots@yahoo.com

The Spike Protein is the reason why the vaccines might kill you

It normally takes over 10 years to make a new vaccine - This vaccine has been rushed.

No matter what you have been told there's no way they could have done all the tests they normally do in 10+ years in just a few months. Including waiting 9 months to see if children born to vaccinated parents are healthy.

The COVID-19 Virus is covered in Spikes - called "The Spike Protein". The new mRNA Vaccines get your body to produce millions of these "Spikes". There is no OFF button, once you are injected there's no telling when the body will stop making the Spikes.

The latest studies show that upto 75% of the vaccine leaves the injection site and travels in the blood all over the body. Potentially ending up in your ovaries, heart, brain and even bone marrow, which could lead to Blood Cancer (Leukaemia).


These "Spikes" are like having millions of tiny daggers inside your body. Many people have died from blood clots caused by the vaccines.

When they tested previous mRNA Vaccines in animals. The animals seemed fine at first. But when they were exposed to the real virus, their bodies over-reacted and they died.

Many people that died from COVID - died because their bodies over-reacted to the virus (this is called the cytokine storm) - Taking Vitamin D regularly (at least 4,000iu per day) will help prevent this over-reaction.

Flu season always occurs in winter when people cannot make enough Vitamin D from the sun. Taking Vitamin D is the easiest way to help reduce sickness from Flu / COVID.

Taking Vitamin D will also help reduce joint and back pain in as little as 2 weeks (take at least 4,000iu per day). As well as reduce your chances of getting Cancer, Heart Disease, Diabetes, Multiple Sclerosis and many other medical conditions. If more people took Vitamin D the medical companies would lose Billions in lost revenue.



Trust The Scientists

How many times have you heard the phrase "Trust The Scientists" but never seen anyone's name mentioned. Below are several Doctors & Scientists that warn against the vaccines.

Dr. Robert Malone - Inventor of the mRNA Technology - in June 2021 made a 3 hour video in which he says in great detail why the COVID vaccine is so dangerous

Dr. Michael Yeadon - Worked for Pfizer for 16+ years reaching the position of Vice President says these vaccines are dangerous

Dr. Geert Vanden Bossche - Worked in the vaccine industry his entire career says injecting millions of people during an ongoing pandemic is dangerous

Professor Dolores Cahill - from University College Dublin School of Medicine - Expects those that get injected to start dying or getting very sick within the next few years.

More Doctors that have spoken up about the dangers of the vaccines you can look up

Dr. Roger Hodkinson, Dr Byram Bridle, Dr. Peter McCullough, Dr. Zev Zelenko, Dr. Carrie Madej, Dr. Sherri Tenpenny, Dr. Stephanie Seneff, Dr. Lee Merritt, Dr Vernon Coleman, Professor Sucharit Bhakdi

More Information

Telegram is one of the few places you can find uncensored information and many videos about COVID vaccine safety which YouTube removes.

Download from Google Play or Apple App Store for Free




Telegram COVID Vaccine Video Channel

1 Things You Should Know About COVID-19 Vaccines

VACCINE MAKERS ARE IMMUNE FROM LIABILITY Vaccine manufacturers have no incentive to ensure their vaccines are as safe as possible. Established in 1986 with the National Childhood Vaccine Injury Act and reinforced by the PREP Act, vaccine makers cannot be sued even if they are shown to be grossly negligent.

> https://www.congress.gov/bill/99th-congress/house-bill/5546 https://www.phe.gov/Preparedness/legal/prepact/Pages/default.



https://violationtracker.goodiobsfirst.org/industry/pharmaceuticals

PREVIOUS ATTEMPTS TO MAKE SIMILAR VACCINES HAVE FAILED In one study, vaccinated infants got much sicker than the unvaccinated infants when exposed to the respiratory syncytial virus (RSV) naturally, with 80% of the vaccinated infants requiring hospitalization. Two died. In subsequent studies, vaccinated animals became very sick when they later became infected with the actual virus. Many died. This phenomenon is called Antibody Dependent Enhancement (ADE).

https://www.nature.com/articles/s41579-020-00462-v#Sec11

COVID VACCINES HAVE NO LONG-TERM SAFETY TESTING There is no way to determine what these experimental vaccines will do to humans in the medium- to long-term. Not all vaccine injuries manifest immediately. Additionally, given that all current COVID vaccines have Emergency Use Authorization status only, people cannot be subject to mandates under federal and international law.

> https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-regulatory-and-policy-framework/ emergency-use-authorization

SERIOUS ADVERSE VACCINE REACTIONS ARE REAL AND ARE UNDERREPORTED As of 4/1/21, 55,869 adverse events following COVID vaccines have been reported to VAERS, including 2,342 deaths. According to a government-funded study at Harvard, less than 1% of all adverse reactions to vaccines are actually submitted to the National Vaccine Adverse Events Reports System (VAERS).

> https://digital.ahrq.gov/sites/default/files/docs/publication/r18hs017045-lazarus-final-report-2011.pdf https://www.medalerts.org/vaersdb/findfield.php?TABLE=ON&GROUP1=CAT&EVENTS=ON&VAX=COVID19 https://www.medalerts.org/vaersdb/findfield.php?TABLE=ON&GROUP1=AGE&EVENTS=ON&VAX=COVID19&DIED=Yes

COVID VACCINES DO NOT STOP TRANSMISSION The clinical trial study designs for COVID vaccines did not address transmission, but merely addressed reducing symptoms, as explained in the materials they submitted to the FDA to obtain Emergency Use Authorization.

> https://www.fda.gov/media/144245/download https://www.fda.gov/media/144434/download https://www.fda.gov/media/146217/download

YOUNG ADULTS HAVE UNDER .04% RISK OF DEATH FROM COVID-19 According to the CDC, COVID overall has a 99.74% survival rate. Among young people, that number is even higher. For people aged 18 to 29, the survival rate is 99.97%. Consider this low risk from COVID when deciding whether to take an experimental vaccine that causes significant side effects, including death.

> https://data.cdc.gov/NCHS/Provisional-COVID-19-Death-Counts-by-Sex-Age-and-S/9bhg-hcku/data

COVID vaccine "the NIH vaccine." This is a troubling conflict of interest.



file patents on their research, even though they have government salaries. Moderna's research and development partner is the National Institute of Allergy and Infectious Diseases (NIAID), directed by Dr. Anthony Fauci. Moderna benefited from \$2.5 billion in federal government funding when developing its vaccine technology, and the company shares joint ownership of vaccine patents with NIAID scientists, prompting Public Citizen to rename Moderna's

https://www.documentcloud.org/documents/6935295-NIH-Moderna-Confidential-Agreements.html https://www.statnews.com/pharmalot/2020/08/28/moderna-covid19-vaccine-coronavirus-patents-darpa/

Additionally, Fauci provided U.S. taxpayer funding for illegal gain-of-function research conducted in China. "Gain of Function" research makes viruses more virulent and transmissible, and promotes research on vaccines against them. When the U.S. President put a moratorium on this research in December 2014 in the U.S., Dr. Fauci's NIAID outsourced its coronavirus bat research to Wuhan, China spending \$7.4 million in six years. Members of Congress have called for an investigation into the Wuhan Institute of Virology's role in SARS-CoV-2 epidemic.

https://www.dailysignal.com/2021/04/06/fauci-must-explain-why-oversight-bypassed-for-funding-to-wuhan-labcongressman-says/

mRNA VACCINES CONTAIN PROBLEMATIC INGREDIENTS Both mRNA vaccines (Pfizer's and Moderna's) contain polyethylene glycol (PEG), and J&J's vaccine contains polysorbate 80 structurally similar ingredients associated with hypersensitivity reactions and anaphylaxis. Although the unlicensed mRNA vaccines are the first in widespread use to feature PEG, there are a number of approved vaccines that include polysorbate 80—all of which document anaphylaxis in their package inserts.

> https://childrenshealthdefense.org/defender/pfizer-covid-vaccine-reaction-fda-peg/ https://childrenshealthdefense.org/defender/inactive-ingredients-covid-vaccines-allergic-reactions/ https://www.nejm.org/doi/full/10.1056/NEJMra2035343

> https://childrenshealthdefense.org/defender/inactive-ingredients-covid-vaccines-allergic-reactions/

THE J & J VACCINE CONTAINS ABORTED HUMAN FETAL CELL LINES The viral vector that forms the backbone of the J&J vaccine is grown in a continuous ("immortalized") human embryonic. cell line (PER.C6) derived from the abortion of a healthy 18-week-old fetus, leading some Catholic leaders to describe the vaccine as "morally compromised." FDA officials have acknowledged for over two decades that such cell lines are a "major safety concern."

https://childrenshealthdefense.org/defender/media-ignores-jj-pharma-giants-checkered-past/ https://religionnews.com/2021/03/01/new-orleans-archdiocese-urges-catholics-to-avoid-new-johnsonjohnson-vaccine/?fbclid=lwAR0O-bTGv7WKyiNK5_thILH__z9PK53A-eHb3oIh3u81qeJGkCuY8_25jYw https://childrenshealthdefense.org/wp-content/uploads/FDA-Pink-Sheets-99.pdf https://www.fda.gov/vaccines-blood-biologics/biologics-research-projects/investigating-viruses-cells-usedmake-vaccines-and-evaluating-potential-threat-posed-transmission




For more information on COVID-19, go to CHD's website, www.childrenshealthdefense.org where we have reliable, up-to-date, science-based information on COVID-19 and other issues affecting health.

How Can I Protect Myself from COVid Infection?

The survival rates for ages 0-69 from COVid is 99%. That's higher than the flu! Use Prophylaxis Protocol to prevent COVid.

Zelenko Prophylaxis Protocol



Moderate / High Risk

More than 45 years old Less than 45 years old with comorbidities High viral load exposure



Zinc 25-50mg once a day Vitamin C 1,000mg once a day Vitamin D 5,000iu once a day or 50,000iu once a week

Hydroxychloroquine (HCQ) 200mg once a day for 5 days, then HCQ 200-400mg one time a week or

Ivermectin 0.2mg/kg one dose on day 1 and day 3, then take one dose weekly

Use Treatment Protocol if you get COVid

Zelenko Treatment Protocol +

Clinical Suspicion of Covid-19 Treatment Algorithm
Risk Stratify Patients and Treat Immediately Based on Clinical Suspicion

Low-Risk

Less than 45 years old No comorbidities No Shortness of Breath

Rest, oral hydration, fever control Elemental Zinc 50mg once a day x 1 wk Vitamin C 1000mg once a day x 1 wk Vitamin D 5000iu once a day x 1 wk

Quercetin 500mg twice a day x 1 wk
or
EGCG 400mg twice a day x 1 wk

Moderate / High-Risk

More than 45 years old Less than 45 years old with comorbidities Any age if Short of Breath

Elemental Zinc 50mg/day x 1 wk
Vitamin C 1000mg/day x 1 wk
Vitamin D 10000iu/day x 1 wk
Azithromycin 500mg/day x 5 days or
Doxycycline 100mg twice/day x 1 wk
HCQ 200mg 2 times/day for 5-7 days
and/or
Ivermectin 0.4-0.5mg/kg/day for 5-7 days

Treatment options based on clinical judgement and patient presentation If patient is symptomatic more than 7 day, and/or appears toxic, and/or has very high risk for complications

Other treatment options

Dexamethasone 6-12mg/day x 1 wk or Prednisone 40mg/day x 1wk, taper as needed Budesonide 1mg/2cc via neb twice/day x 1wk Blood thinners (Lovenox, Eliquis, Xarelto, Pradaxa, Aspirin)
Colchicine 0.6mg 2-3 times a day for 5-7 days Monoclonal antibodies
Home IV fluids and oxygen

A NEW THREAT:

Use an NAC supplement to prevent harm from Spike Proteins that are transmitted from people who got the COVid Vaccine. Vaccinated people create harmful proteins that can infect others. Go to Frontlinemds.com or www.doctorsdontfearcovid.com to get treatment for COVid.

How to Get a School Exemption from Immunization

- 1. The "Request for Exemption from Immunization" form can be printed and mailed or filled out online. Go to Texansforvaccinechoice.com to submit it online.
- 2. Once you receive the official Immunization Exemption Affidavit form in the mail, DO NOT SIGN. Get notarized. The Notary agent will witness you signing at this time.
- 3. Make copies for your own records.
- 4. Take the notarized form to the school.
- 5. Get a receipt from the nurse or secretary.

Consider completing the "No Consent for Minor to be Vaccinated" as well. Instruct your school to put this in your child's file. This will legally protect you from future school vaccine administration on campus.



NO CONSENT FOR MINOR TO BE VACCINATED

I,	, live at	
Print name		street address
		. As the custodial parent or guardian of:
City, state, zip		. •
	, born on _	
Legal name of child 1		date
	, born on _	
Legal name of child 2		date
	, born on _	
Legal name of child 3		date
	, born on _	
Legal name of child 4		date
abridge the privileges or immany person of life, liberty, or within its jurisdiction the eq	nunities of citize r property, with ual protection o	To state shall make or enforce any law which shall one of the United States; nor shall any state deprive nout due process of law; nor deny to any person of the laws." Any teacher, nurse, administrator, or ll be held liable to the full extent of the law.
Signature of parent/guardian	l	Date
□From	to	or
\square Valid from date signed unt	il this form is re	voked in writing.
Signature of School Secretary	or Nurse	
Date Received		

This form is to by filed in each child's medical record by the school nurse.

History of Vaccines

Doses/Schedules and Age Ranges

Vaccines	1983	1986	Vaccines	2020
DTP	2 months		Influenza	Pregnancy
OPV	2 months		DTaP*4	Pregnancy
DTP	4 months	NATIONAL CHILDHOOD	Hep B1	Birth
OPV	4 months	VACCINE INJURY ACT	Hep B1	2 months
DTP	6 months		Rotovirus 5 (live)	2 months
MMR	15 months	*An ever expanding schedule*	DTaP* 4	2 months
DTP	18 months	Since its passage	HIB 1	2 months
OPV	18 months		PCV 13	2 months
DTP	4 years		IPV 3	2 months
OPV	4 years	Keep in mind: Vaccines are	Rotovirus 5 (live)	4 months
Td	15 years	SOLD FOR PROFIT	DTaP* 4	4 months
			HIB 1	4 months
Total 24 Doses		HAVE NO LIABIITY for INJURY	PCV 13	4 months
8 Shots under ag	e 2		IPV 3	4 months
2 Shots under ag	e 10		Нер В 1	6 months
1 Last Shot at age 15			DTaP* 4	6 months
		Check your Congress Members	HIB1	6 months
		Voting Record to see who pass	PCV 13	6 months
		This HORRIBLE piece of	IPV 3	6 months
		Legislation against our Children	Rotovirus 5 (live)	6 months
			Influenza 4	6 months
			Influenza 4	7 months
				12 months
			PCV 13	12 months
			MMR* 3 (live)	12 months
			Varicella* 1 (live)	
				12 months
			DTaP* 4	18 months
			2 Shots before Birth 24 Shots before 1 year 3 Shots at age 18 months	
			Continued on Ba	ck

The Childhood Vaccine Injury Act – This Law freed vaccine manufacturers for ALL Liability when injury of death occurs following vaccination. Therefore, why would a vaccine manufacturer care if their products are safe if they have been shielded from liability?

42 US Code – 300aa-22 - Standards of Responsibility



Vaccines 2	2020			
cont'd				
Influenza 4	18 months			
Hep A* 1	18 months			
Influenza 4	30 months			
Influenza 4	42 months			
DTaP* 4	4 years			
IPV 3	4 years			
MMR 3 (live)	4 years			
Varicella* 1 (live	e) 4 years			
Influenza 4	5 years			
Influenza 4	6 years			
Influenza 4	7 years			
Influenza 4	8 years			
Influenza 4	9 years			
Influenza 4	10 years			
HPV 9	10 years			
Influenza 4	11 years			
HPV 9	11 years			
DTaP* 4	12 years			
Influenza 4	12 years			
Meningococcal 4	12 years			
Influenza 4	13 years			
Influenza 4	14 years			
Influenza 4	15 years			
Influenza 4	16 years			
Meningococcal 4	16 years			
Influenza 4	17 years			
Influenza 4	18 years			
2 Shot age 1 ½ y				
1 Shot age 2 ½ years old				
1 Shot age 3 ½ y				
11 Shots age 4 to 10 years old				
12 Shots age 11	to 18 years			
old				

SHOT SUMMARY # of Shots, Shot Name & Bacterial/Viral Strains

- 20) Flu Shots (Influenza 4)
- 2) Meningococcal (4)
- 4) PVC (13)
- 4) HIB (1)
- 2) MMR* (3) = Live (contains aborted human fetal cells)
- 3) Hep B (1)
- 7) DTaP* (contains aborted human fetal cells)
- 4) IPV (3)
- 3) Rotoviruses (5) = Live
- 2) <u>Varicella* (1) = Live</u> (contains aborted human fetal cells)
- 2) Hep A* (1) (contains aborted human fetal cells)
- 2) HPV (9)

Where you see the number by each shot name - Example: Influenza 4 – The number represents/indicates the number of viral and/or bacterial strains contained in the shot.

Where you see* denotes the vaccine derived from aborted human fetuses

All DTaP shots have aborted human fetuses.
All MMR (live) has aborted human fetus
All Varicella (live) has aborted human fetuses
All Hep A has aborted human fetuses
Where you see live, your child is actually getting the live
virus, not a dead attenuated virus. Most likely your child
does not have Rotavirus prior to getting the vaccine.

Do your research on Rotavirus, children need hydration etc... to get past rotavirus. They know babies don't drink enough fluids in general, so why would you give babies this vaccine? Babies don't change their own diapers so the chance of them

catching this is rare. Yet they give this vaccine to babies under 6 months of age.

The CDC schedule has never been tested as it is given to our children. This means we have no scientific basis for declaring this schedule "Safe" and very little understanding of the synergistic effects of 55 adjuvants, 234 antigens including 18 live viruses, human & animal DNA & viral contaminants & antibiotics on the health of our children. (1,2)

- (1) White paper on the Safety of the childhood Immunization Schedule, 2014 CDC
- (2) Vaccine Safety: Virus Detection and Latency, FDA.gov

Each time you go to get a vaccine, it is recommended to ask for the vaccine insert. Please review, before you decide.

Questions:

- DO YOU THINK CHILDREN NEED THIS MANY SHOTS BEFORE THE AGE OF 2? 1)
- 2) The Shots given in 1983, none appear to have LIVE VIRUSES. Yet in 2020, we see 5 LIVE VIRUS shots.
- While in the womb in 1983, we see NO SHOTS; yet in 2020, we see (2) before Birth. 3) Now they are trying to say Pregnant Mothers need the COVID – 19 Vaccine? Why?
- This is a very disturbing pattern here, why have we let SCIENCE convince us these children need this many shots before the AGE of 2?
- * Denotes it is derived from aborted human fetal cells.
- Remember the following websites WebMD, Healthline, etc... are paid for by the BIG Pharma to convince you vaccines, safe & effective, when they are not. It is just a business model for them.

Video Resources:

https://archives.infowars.com/baby-dies-after-9-vaccines-in-one-day/

https://archives.infowars.com/australia-bans-flu-vaccines-in-children-after-vomitingfevers-seizures/

https://archives.infowars.com/new-study-infants-receiving-most-vaccines-are-most-

likely-to-be-hospitalized-and-die/

https://archives.infowars.com/fda-licenses-vaccines-ignores-injuries-report/

https://www.bitchute.com/video/eqzgyTMssFvn/

https://www.bitchute.com/video/UznmlJYCUeTR/

https://www.bitchute.com/video/Z0sfnI8YXsNX/

https://www.bitchute.com/video/5wKtZBK2Eiqi/

https://www.bitchute.com/video/17m21S2Lrd8H/

https://www.bitchute.com/video/ypLjmXQoLygi/

https://forbiddenknowledgetv.net/dr-sherri-tenpenny-explains-how-the-

depopulation-covid-vaccines-will-start-working-in-3-6-months/

Article Resources:

http://afinalwarning.com/520071.html

http://afinalwarning.com/529875.html

https://childrenshealthdefense.org/defender/greyson-follmer-pfizer-vaccine-

myocarditis/

https://childrenshealthdefense.org/defender/who-updates-guidance-children-shouldnot-be-vaccinated/

https://childrenshealthdefense.org/defender/jim-bopp-tucker-carlson-indiana-uvaccine-mandate-unconstitutional/

https://childrenshealthdefense.org/defender/protests-challenge-vaccination-

underage-children-without-parental-consent/

https://childrenshealthdefense.org/defender/covid-ivermectin-could-have-savedmillions-lives/

https://childrenshealthdefense.org/defender/5th-exec-joins-moderna-billionaire-clubstock-price-soars-despite-injury-reports/

https://childrenshealthdefense.org/defender/cdc-aggressive-push-vaccinate-naturalimmunity/

Research Texas Bill #968 Regarding Vaccine Passports

[https://legiscan.com/TX/bill/SB968/2021] and ask yourself: How do the following questions apply to the bill? In your view, does the bill need to be rescinded and reissued? Does the bill protect our Constitutional Freedoms and freedom of liberty over our sovereign bodies?

You can make changes in your environment and have the politicians that you hire serve the public's best interests. They are counting on you to not know how to read a Bill or even ask questions about a Bill or have a Bill rescinded. Its time for you to become more active in your political government at the local and State level, because right now your personal bodily sovereignty is under attack. Get informed.

Does this bill:

- Q1. Protect Texans from State/Private organizations mandating the Coronavirus vaccine to do business.
- Q2. Protect Texans from State/Private organizations mandating any other vaccine?
- Q3. Protect Texans from State/Private organizations requiring COVid vaccine tracking?
- Q4. Protect Texans from State/Private organizations mandating any other personal tracking?
- Q5. Protect Texans from State/Private organizations requiring disclosure of Coronavirus vaccine status?
- Q6. Protect Texans from State/Private organizations discriminating against unvaccinated individuals?
- Q7. Protect Texas employees from the above list in order to work?
- Q8. Are the "officials" in the State of Texas protecting its citizens from the harmful effects this vaccine may cause on the fundamental aspects of life once the side effects are known?

Research this bill. If you find this bill does not protect Texans from the vaccine or its mandating of such, we encourage you to form a group within your community to discuss this matter or send emails and make phone calls to your local representatives.

All Texans should be free from being forced to take a harmful, deadly and life altering experimental vaccine to participate in society. This is creating

discrimination among all Texans and we as a great state shall not allow our medical freedoms to be infringed upon.



COMMON APPROACHES FOR OBTAINING CONSENT FOR VACCINATION

Current practices of obtaining informed consent for vaccination vary among countries, but can be broadly categorized into three approaches.

- 1. A formal, written consent process is used, particularly in middle- and high-income countries that have a higher percentage of literate populations and a longer history of providing vaccination to older age groups. Vaccination of this target group may be delivered through school health services. Health authorities inform the parents about the vaccination and written consent from the parent is required to opt-in, i.e. give permission for the older child/adolescent to be vaccinated. Alternatively, a written form is used to allow parents to express non-consent (or refusal) to vaccination of their child. This is known
- 2. A verbal consent process, whereby consent is given verbally by the parent after being duly informed about the vaccination. However, this approach can only be used when parents accompany the child to the vaccination.

as an opt-out procedure.

3. An implied consent process by which parents are informed of imminent vaccination through social mobilization and communication, sometimes including letters directly addressed to the parents. Subsequently, the physical presence of the child or adolescent, with or without an accompanying parent at the vaccination session, is considered to imply consent. This practice is based on the opt-out principle and parents who do not consent to vaccination are expected implicitly to take steps to ensure that their child or adolescent does not participate in the vaccination session. This may include not letting the child or adolescent attend school on a vaccination day, if vaccine delivery occurs through schools.

Implied consent procedures are common practice in many countries. However, when children present for vaccination unaccompanied by their parents, it is challenging to determine whether parents indeed provided consent. Therefore, countries are encouraged to adopt procedures that ensure that parents have been informed and agreed to the vaccination. Comprehensive data on whether the approach countries use to deal with consent has changed or evolved over the last decades is not available.

APPROACHES TO OBTAIN INFORMED CONSENT:

- 1. Written consent
- 2. Verbal consent
- 3. Implied consent



^{4.} A WHO survey in 2012 in 34 selected countries from four regions on consent procedures for vaccination in 6–17 year-olds, found that approximately half of the respondent countries use written consent for vaccination in this age group.

PRACTICAL CHALLENGES

There are two main areas in which the vaccination of older children and adolescents presents challenges for the informed consent process.

Non-accompanied persons

Older children and adolescents may attend a vaccination session without a parent. This situation arises when vaccination is school-based, but may also occur when adolescents visit a health facility to be vaccinated without their parents. In such situations, obtaining consent from parents before vaccination becomes a challenge, and careful planning is needed to enable them to provide consent prior to the vaccination of their child. This is especially true for school-based vaccination programmes. Countries that use implied consent for childhood vaccination, consider the parent bringing the child for vaccination as an expression of informed consent. To allow parents to express consent, when vaccination of their child takes place in their absence, special procedures need to be put in place. Planning for vaccination must take into account the informed consent process. If written consent (or non-consent) is required for school-based vaccination, sufficient time needs to be allowed for the consent forms to be provided to parents and to be returned to the school prior to the vaccination session.

Evolving capacities of the child

The capacities of older children and adolescents evolve towards independent decision-making as they mature. This principle of "evolving capacity" outlined in the Convention on the Rights of the Child (Art. 5),⁵ combined with the obligation to "respect the views" (Art. 12) and securing the "best interests of the child" (Art. 3), implies that older children and adolescents should have a say in the consenting process. Formally, this is known as "assent", which is interpreted as a moral obligation



on the part of the health worker to ensure that the child/adolescent agrees to the intervention. While the views of the child/adolescent and parents on vaccination will concur in most situations, sometimes they may be different. A parent may want their adolescent to be vaccinated but the adolescent refuses, or the reverse when the adolescent wants to be vaccinated but the parent does not give permission. It is important that health workers understand the rights of parents and children in such cases, and are able to weigh these rights based on guiding principles that govern such situations in the country context.6 She/he also needs to know, and apply the correct procedure to follow, according to national or local laws and regulations.

Health workers need to know and be able to apply the correct procedure to follow, according to national or local laws and regulations.

^{5.} Convention on the Rights of the Child. UNGA resolution 44/25 (1989).

^{6.} Convention on the Rights of the Child, General Comment No. 4, 2003 (CRC/GC/2003/4) states: "Before parents give their consent, adolescents need to have a chance to express their views freely and their views should be given due weight, in accordance with article 12 of the Convention. However, if the adolescent is of sufficient maturity, informed consent shall be obtained from the adolescent her/himself, while informing the parents if that is in the 'best interest of the child' (Art. 3)" (para. 32–33).

Doctors that believe COVid-19 Vaccines are NOT Safe

These so-called COVid "vaccines" are experimental technology drugs. They are not FDA approved. They are only authorized under Emergency Use Authorization. They have already caused hundreds of thousands of adverse reactions and thousands of deaths. These "vaccines" change your physiology forever. They alter your DNA. Please look at these very informative sites before considering getting this vaccine.

Americas Frontline Doctors: https://www.americasfrontlinedocs.com

Dr. Tenpenny: www.VAXXTER.com

Dr. Jane Ruby: www.DrJaneRuby.com

American Association of Physicians and Surgeons has a free downloadable guide to at home treatment of covid19. https://aapsonline.org/covidpatientguide

Dr. Peter McCullough: https://tapnewswire.com/2021/06/dr-peter-mccullough-covid-vaccines-have-already-killed-50000-americans

https://principia-scientific.com/top-covid-doc-peter-mccullough-these-jabs-are-killing-people https://americaoutloud.com/author/dr-peter-mccullough

https://www.aestheticsadvisor.com/2021/05/dr-peter-mccullough-hydroxychloroquine.html https://noqreport.com/2021/05/26/prominent-physician-dont-get-a-covid-shot

Dr. Mike Yeaden:

https://www.brighteon.com/12331cda-fbd8-4465-8ce5-dc08522cc512

Dr. Geert Vanden Bossche:

https://www.brighteon.com/e063cdb4-723e-43d7-943e-0887fd64d3d0 https://www.brighteon.com/abca45cd-6aa4-4190-9be4-649a3516ed29

Dr. Christian Northrop:

https://www.brighteon.com/f48bbd75-0af7-4dbf-9ee7-6b09ee47d84c https://www.brighteon.com/0e83b7b7-dad2-4861-96f5-d409b4fb7690 https://www.brighteon.com/19127f23-f3cc-4609-94ab-334350e712fe

Dr. Carrie Madej:

https://www.brighteon.com/ddea0372-4cb8-4285-b02b-7cb4c5b8588d https://www.brighteon.com/f9040036-5a8f-4168-bd95-1f033b4eee78 https://www.brighteon.com/98bfcd49-5c51-4a4a-a45d-59ae41036bcc

Dr. Lee Merritt:

https://www.brighteon.com/2be77c50-4041-4a5f-ba64-70042c280e60 https://www.brighteon.com/f12a26bd-932a-4254-95b6-72d2aa14f021

Dr. Ryan Cole:

https://www.brighteon.com/2bc32e58-5f18-43d0-91b9-3f15fcb1dcef https://www.brighteon.com/3b320e11-70b1-468c-953a-954610c3e190

Dr. Luc Montagnier:

https://www.brighteon.com/b557775c-3045-4d4e-b4d8-dea4be4ce9ff https://www.brighteon.com/63d3c252-1ef2-49de-b70a-da99e5508c8f

Dr. Sucharit Bhakti:

https://www.brighteon.com/44124846-e730-45d9-a819-f38dd42fe2d6 https://www.brighteon.com/469a3e9b-20ec-4699-8c57-f7d2339e7b02 https://www.brighteon.com/0904694c-286c-4fdd-9efb-8a8b8a7c1acf

Dr. Robert Malone: (inventor of mRNA vaccines)

https://www.brighteon.com/66d0a3c4-f9b2-4908-b346-9d6a91b99d20 https://www.brighteon.com/c50f9ac9-ffa6-4a43-9ee6-eb46a3893328

Attorney Reiner Fuellmich: International lawsuit for crimes against humanity

https://www.youtube.com/watch?v=FjUOHGY2K14

https://vimeo.com/553673924

https://www.youtube.com/watch?v=sJXCG3tXwj4

Dr. Bartlett: https://budesonideworks.com

Doctors who explain clearly why vaccines aren't safe or effective.

- 1. Dr. Nancy Banks: http://bit.ly/1lp0alm
- 2. Dr. Russell Blaylock: http://bit.ly/1BXxQZL
- 3. Dr. Shiv Chopra: http://bit.ly/1gdgh1s
- 4. Dr. Sherri Tenpenny: http://bit.ly/1MPVbjx
- 5. Dr. Suzanne Humphries http://bit.ly/17sKDbf
- 6. Dr. Larry Palevsky http://bit.ly/1LLEjf6
- 7. Dr. Toni Bark http://bit.ly/1CYM9RB
- 8. Dr. Andrew Wakefield http://bit.ly/1MuyNzo
- 9. Dr. Meryl Nass http://bit.ly/1DGzJsc
- 10. Dr. Raymond Obomsawin http://bit.ly/1G9ZXYI
- 11. Dr. Ghislaine Lanctot http://bit.ly/1MrVeUL
- 12. Dr. Robert Rowen http://bit.ly/1SIELeF
- 13. Dr. David Ayoub http://bit.ly/1SIELve
- 14. Dr. Boyd Haley PhD http://bit.lv/1KsdVby
- 15. Dr. Rashid Buttar http://bit.ly/1gWOkL
- 16. Dr. Roby Mitchell http://bit.ly/1gdgEZU
- 17. Dr. Ken Stoller http://bit.ly/1MPVqLI
- 18. Dr. Mayer Eisenstein http://bit.ly/1LLEqHH
- 19. Dr. Frank Engley, PhD http://bit.ly/10HbLDI
- 20. Dr. David Davis http://bit.ly/1gdgJwo
- 21. Dr Tetyana Obukhanych http://bit.ly/16Z7k6J
- 22. Dr. Harold E Buttram http://bit.ly/1Kru6Df
- 23. Dr. Kelly Brogan http://bit.ly/1D31pfQ
- 24. Dr. RC Tent http://bit.ly/1MPVwmu
- 25. Dr. Rebecca Carley http://bit.ly/K49F4d
- 26. Dr. Andrew Moulden http://bit.ly/1fwzKJu
- 27. Dr. Jack Wolfson http://bit.ly/1wtPHRA
- 28. Dr. Michael Elice http://bit.ly/1KsdpKA

- 29. Dr. Terry Wahls http://bit.ly/1gWOBhd
- 30. Dr. Stephanie Seneff http://bit.ly/10tWxAY
- 31. Dr. Paul Thomas http://bit.ly/1DpeXPf
- 32. Many doctors talking at once http://bit.ly/1MPVHOv
- 33. Dr. Richard Moskowitz censored
- 34. Dr. Jane Orient http://bit.ly/1MXX7pb
- 35. Dr. Richard Deth http://bit.ly/1GQDL10
- 36. Dr. Lucija Tomljenovic http://bit.ly/1eqiPr5
- 37. Dr Chris Shaw http://bit.ly/1llGiBp
- 38. Dr. Susan McCreadie http://bit.ly/1CggN83
- 39. Dr. Mary Ann Block http://bit.ly/1OHcyUX
- 40. Dr. David Brownstein http://bit.ly/1EaHI9A
- 41. Dr. Jayne Donegan http://bit.ly/1wOk4Zz
- 42. Dr. Troy Ross censored
- 43. Dr. Philip Incao http://bit.ly/1ghE7sS
- 44. Dr. Joseph Mercola http://bit.ly/18dE38I
- 45. Dr. Jeff Bradstreet http://bit.ly/1MaX0cC
- 46. Dr. Robert Mendelson http://bit.ly/1JpAEQr
- 47. Dr Theresa Deisher https://m.youtube.com/watch?feature=youtu.be&v=6Bc6WX33SuE
- 48. Dr. Sam Eggertsen-https://m.youtube.com/watch?v=8LB-3xkeDAE

Hundreds more doctors testifying that vaccines are NOT safe or effective, in these documentaries....

- 1. Vaccination The Silent Epidemic http://bit.ly/1vvQJ2W
- 2. The Greater Good http://bit.ly/1icxh8j
- 3. Shots In The Dark http://bit.ly/10btC8h
- 4. Vaccination The Hidden Truth http://bit.ly/KEYDUh
- 5. Vaccine Nation http://bit.ly/1iKNvpU
- 6. Vaccination The Truth About Vaccines http://bit.ly/1vlpwvU
- 7. Lethal Injection http://bit.ly/1URN7BJ
- 8. Bought http://bit.ly/1M7YSIr
- 9. Deadly Immunity http://bit.ly/1KUg64Z
- 10. Autism Made in the USA http://bit.ly/1J8WQN5
- 11. Beyond Treason http://bit.ly/1B7kmvt
- 12. Trace Amounts http://bit.ly/1vAH3Hv
- 13. Why We Don't Vaccinate http://bit.ly/1KbXhu

9 hour court case:

https://m.youtube.com/watch?v=DFTsd042M3o

Documentaries...

- 1. Vaccination The Silent Epidemic(2013)
- http://bit.ly/1vvQJ2W
- 2. The Greater Good (2011) https://youtu.be/VxR8XQHc0A0
- 3. Shots In The Dark -(2009) http://bit.ly/10btC8h
- 4. Vaccination The Hidden Truth -(1998) http://bit.ly/KEYDUh
- 5. Vaccine Nation (2008) https://youtu.be/bLk641P8CE4
- 6. Vaccination The Truth About Vaccines http://bit.ly/1vlpwvU
- 7. Lethal Injection http://bit.ly/1URN7BJ
- 8. Bought (2015) https://youtu.be/HrgkKREhQrs

https://youtu.be/ 9nre8AMe5I

- 9. Deadly Immunity (2005) http://bit.ly/1KUg64Z
- 10. Autism Made in the USA(2009) http://bit.ly/1J8WQN5
- 11. Beyond Treason (2005) http://bit.ly/1B7kmvt
- 12. Trace Amounts (2014) http://bit.ly/1vAH3Hv
- 13. Why We Don't Vaccinate https://youtu.be/WjiFrTnWiK4
- 14. Autism Yesterday (2010) http://bit.ly/1URU2A

News Source: https://www.naturalnews.com

Find a doctor near you: http://doctorsdontfearcovid.com

Number of Deaths Reported After COVID Vaccines Jumps by More Than 2,000 in 1 Week, According to VAERS

07/09/21 By Megan Redshaw

https://childrenshealthdefense.org/defender/cdc-vaers-deaths-reported-covid-vaccines/?utm_source=salsa&eType=EmailBlastContent&eId=7fa4238d-0294-400f-b083-ed7320af3dc7

VAERS data released today by the CDC showed a total of 438,441 reports of adverse events from all age groups following COVID vaccines, including 9,048 deaths and 41,015 serious injuries between Dec. 14, 2020 and July 2, 2021.

The Defender is experiencing censorship on many social channels. Be sure to stay in touch with the news that matters by subscribing to our top news of the day. **It's free**. Go to Childrenshealthdefense.org.

Data released today by the Centers for Disease Control and Prevention (CDC) included 9,049 reports of deaths, across all age groups, following COVID vaccines — an increase of more than 2,000 compared with the previous week. The data comes directly from reports submitted to the <u>Vaccine Adverse Event Reporting System</u> (VAERS).

<u>VAERS</u> is the primary government-funded system for reporting adverse vaccine reactions in the U.S. Reports submitted to VAERS require further investigation before a causal relationship can be confirmed.

Every Friday, <u>VAERS</u> makes public all vaccine injury reports received as of a specified date, usually about a week prior to the release date.

Data released today show that between Dec. 14, 2020 and July 2, 2021, a total of <u>438,441 total adverse events</u> were reported to VAERS, including <u>9,048 deaths</u> — an increase of 2,063 over the previous week. There were <u>41,015 serious injury reported</u> during the same time period — up 6,950 compared with last week.

In the U.S, <u>328.9 million</u> COVID vaccine doses had been administered as of July 2. This <u>includes</u>: 134 million doses of <u>Moderna's</u> vaccine, 182 million doses of <u>Pfizer</u> and 13 million doses of the <u>Johnson & Johnson</u> (J&J) COVID vaccine.

Of the 9,048 deaths reported as of July 2, <u>22% occurred</u> within 48 hours of vaccination, <u>15% occurred</u> within 24 hours and <u>37% occurred</u> in people who became ill within 48 hours of being vaccinated.



Search Results

From the 7/2/2021 release of VAERS data:

Found 438,441 cases where Vaccine is COVID19


→	↑ ↓	\uparrow \downarrow		
Event Outcome	Count	Percent		
Death	9,048	2.06%		
Permanent Disability	7,463	1.7%		
Office Visit	80,268	18.31%		
Emergency Room	56	0.01%		
Emergency Doctor/Room	56,915	12.98%		
Hospitalized	26,754	6.1%		
Hospitalized, Prolonged	64	0.01%		
Recovered	157,888	36.01%		
Birth Defect	239	0.05%		
Life Threatening	7,822	1.78%		
Not Serious	174,230	39.74%		
TOTAL	† 520,747	† 118.77%		

This is the reason why the Total Count is greater than 438441 (the number of cases found), and the Total Percentage is greater than 100.

This week's total VAERS data, from Dec. 14, 2020 to July 2, 2021, for all age groups show:

- 22% of deaths were related to cardiac disorders.
- 50% of those who died were male, 45% were female and the remaining death reports did not include gender of the deceased.
- The <u>average age</u> of death was 74.7.
- As of July 2, <u>2,678 pregnant women</u> reported adverse events related to COVID vaccines, including 994 reports of miscarriage or premature birth.
- Of the <u>4,456 cases of Bell's Palsy reported</u>, 59% were attributed to Pfizer vaccinations, 39% to Moderna vaccine and 7% to I&I.
- 398 reports of <u>Guillain-Barré Syndrome</u>, with 47% of cases attributed to Pfizer, 40% to Moderna and 19% to J&J.
- <u>121,092 reports of anaphylaxis</u> with 46% of cases attributed to <u>Pfizer's vaccine</u>, 46% to <u>Moderna</u> and 7% to <u>J&J</u>.
- <u>8,256 reports</u> of blood clotting disorders. Of those, <u>3,959 reports</u> were attributed to Pfizer, <u>2,699 reports</u> to Moderna and <u>1,552 reports</u> to J&J.
- <u>1,796 cases</u> of myocarditis and pericarditis with <u>1,177 cases</u> attributed to Pfizer, <u>563 cases</u> to Moderna and <u>52 cases</u> to J&J's COVID vaccine.





COVID-19 Vaccine Breakthrough Case Investigation and Reporting

Defining a vaccine breakthrough infection

For the purpose of this surveillance, a vaccine breakthrough infection is defined as the detection of SARS-CoV-2 RNA (COVid-19) or antigen in a respiratory specimen collected from a person ≥14 days after they have completed all recommended doses of a U.S. Food and Drug Administration (FDA)-authorized COVID-19 vaccine.

Some health departments may continue to report all vaccine breakthrough cases to the national database and can continue to submit specimens to CDC for sequencing. However, CDC will focus its monitoring on reported hospitalized and fatal cases.

COVID-19 Vaccine Breakthrough Infections Reported to CDC — United States, January 1– April 30, 2021

Weekly / May 28, 2021 / 70(21);792-793

https://www.cdc.gov/vaccines/covid-19/health-departments/breakthrough-cases.html

A total of 10,262 SARS-CoV-2 vaccine breakthrough infections had been reported from 46 U.S. states and territories as of April 30, 2021. Among these cases, 6,446 (63%) occurred in females, and the median patient age was 58 years (interquartile range = 40–74 years). Based on preliminary data, 2,725 (27%) vaccine breakthrough infections were asymptomatic, 995 (10%) patients were known to be hospitalized, and 160 (2%) patients died. Among the 995 hospitalized patients, 289 (29%) were asymptomatic or hospitalized for a reason unrelated to COVID-19. The median age of patients who died was 82 years (interquartile range = 71–89 years); 28 (18%) decedents were asymptomatic or died from a cause unrelated to COVID-19. Sequence data were available from 555 (5%) reported cases, 356 (64%) of which were identified as SARS-CoV-2 variants of concern, including B.1.1.7 (199; 56%), B.1.429 (88; 25%), B.1.427 (28; 8%), P.1 (28; 8%), and B.1.351 (13; 4%).